

## Sources: appelt; Dutch name

## English name

## Latin name

	Dutch name	English name	Latin name
<b>Fence</b>	wilg	willow	Salix
<b>Wildflower strip</b>	Gewone margriet	Oxeye Daisy	Leucanthemum vulgare
	Grote klaproos	Poppy	Papaver rhoeas
	Dagkoekoeksbloem	Red campion	Silene dioica
	Korenbloem	Cornflower	Centaurea cyanus
	Beemdkroon	Field Scabious	Knautia arvensis
	Rode klaver	Red clover	Trifolium pratense
<b>Museum garden</b>	Kruisdistel	Sea Holly	Eryngium planum 'Blue Hobbit'
	Ooievaarsbek	Cranesbill	Geranium macr. 'Bevan's Variety'
	Duizendblad	Yarrow	Achillea 'Walther Funcke'
	Lindh. Prachtkaars	Beeblossom	Gaura lindh. 'Whirling Butterflies'
	Siberische Edelweis	Pearly everlasting	Anaphalis triplinervis
	Bergsteentijm	Lesser mint	Calamintha nepeta
	Vetkruid	Stonecrop	Sedum purple emperor
	Echte gulderoede	Goldenrods	Solidago virgaurea
	Groot kaasjeskruid	Common Mallow	Malva sylvestris
	Grote pimpernel	Great burnet	Sanguisorba officinalis 'Tanna'
	Kogeldistel	Globe thistle	Echinops ritro 'Veitch Blue'
	Egel zonnehoed	Pale purple Coneflower	Echinacea pallida
	Parelgras	Prairie dropseed	Sporobolus heterolepis
	Wollige andoorn	Lamb's ear	Stachys byzantina
	Bossalie	Wild sage	Salvia nemorosa
	Zwarte toorts	black mullein	Verbascum nigrum
<b>Bush vegetation</b>	Echte laurier	Bay laurel	Laurus Nobilis
	Vlinderstruik	Butterfly bush	Buddleja 'Miss Ruby'
	Vlinderstruik	Butterfly bush	Buddleja dav. 'Empire Blue'
	Chinees klokje	Chinese bellflower	Forsythia int. 'Lynwood'
	Chinees klokje	Chinese bellflower	Forsythia int. 'Spectabilis'
	Viltroos	Downy rose	Rosa tomentosa
	Gewone vlier	Black Elder	Sambucus nigra
	Beverboom	Magnolia	Magnolia grandiflora L.
	Vijg	Fig	Ficus carica
	Hortensia	Hydrangea	Hydrangea
	Rhododendron	Rhododendron	Rhododendron
	Hazelaar	Hazel	Corylus avellana

Height	Rooting depth	Perennial	Jan	Feb	Mar	Apr	May	Jun	Jul
How tall we make the fence		yes							
30-50 cm	30-40 cm	yes							
30-60 cm	40-60 cm	no							
30-90 cm	30-50 cm	yes							
40-50 cm	30-50 cm	no							
70-80 cm	40-60 cm	yes							
30-50 cm	30-50 cm	yes							
20-30 cm	40-60 cm	yes							
20-30 cm	30-40 cm	yes							
60-80 cm	40-60 cm	yes							
80-100 cm	40-60 cm	yes							
30-35 cm	30-50 cm	yes							
30-50 cm	30-40 cm	yes							
30 cm	20-30 cm	yes							
30-100 cm	40-60 cm	yes							
80-110 cm	40-60 cm	yes							
60-70 cm	40-60 cm	yes							
50-60 cm	60-90 cm	yes							
45-75 cm	60-90 cm	yes							
30-60 cm	40-60 cm	yes							
15-40 cm	20-40 cm	yes							
30-60 cm	40-60 cm	yes							
150 cm	60-90 cm	yes							
2 m	60-90 cm	yes							
1 m	60-90 cm	yes							
1,8-2,5 m	60-90 cm	yes							
2,5-3 m	60-90 cm	yes							
1,8-2,5 m	60-90 cm	yes							
1,5-3 m	45-60 cm	yes							
3-4 m	90-120 cm	yes							
max. 5 m	90-120 cm	yes							
10 m	90-120 cm	yes							
1-3 m	45-60 cm	yes							
max. 2 m	45-60 cm	yes							
max. 6 m	60-90 cm	yes							

Aug	Sep	Oct	Nov	Dec	Look	Supplied by municipality	Notes
					#ONBEKEND!	no	
					#ONBEKEND!	no	
					#ONBEKEND!	no	Toxic to dogs and cats
					#ONBEKEND!	no	
					#ONBEKEND!	no	
					#ONBEKEND!	no	Fixes nitrogen
					#ONBEKEND!	yes	
					#ONBEKEND!	yes	
					#ONBEKEND!	yes	
					#ONBEKEND!	yes	
					#ONBEKEND!	yes	
					#ONBEKEND!	yes	
					#ONBEKEND!	no	"Rode lijst"
					#ONBEKEND!	no	
					#ONBEKEND!	no	
					#ONBEKEND!	no	Medicinal properties
					#ONBEKEND!	no	
					#ONBEKEND!	no	
					#ONBEKEND!	no	
					#ONBEKEND!	no	
					#ONBEKEND!	no	
					#ONBEKEND!	no	Leaves can be used in c
					#ONBEKEND!	yes	Shade
					#ONBEKEND!	yes	Sun
					#ONBEKEND!	yes	Sun
					#ONBEKEND!	yes	Shade
					#ONBEKEND!	no	
					#ONBEKEND!	no	Toxic for many animals
					#ONBEKEND!	no	Susceptible to frost and
					#ONBEKEND!	no	Wind protection needed
					#ONBEKEND!	no	Toxic, flowering period d
					#ONBEKEND!	no	Flowering depends on s
					#ONBEKEND!	no	

## Maintenance

---

Winter - cut to original shape

---

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.  
Will not come up again if the soil is undisturbed for a long time

No care needed, but can spread slowly via rhizomes

-

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.

No pruning needed, old leaves can be removed for aesthetic value

Remove old stems in autumn. Cover with mulch, soil or compost in winter

No pruning needed. If removing old flowers, only do so after winter

-

-

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.

Needs water during dry summers

-

For the best flowers: dig up, split the plants and plant back every 3-4 years

Do not cut before winter. Can be cut to 5 cm above ground in spring

No pruning needed, old leaves can be removed for aesthetic value

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.

No pruning needed. Before new growth in spring, dead foliage from the previous season can be removed.

Prune once a year, either start of spring (March/April) or after flowering

Prune to 30 cm above ground every spring

Prune to 50-60 cm in April, after frost. Removing dead flowers will increase flowering period

Prune branches that finished flowering (April/May), prune some old branches to 10 cm above ground

Prune branches that finished flowering (April/May), prune some old branches to 10 cm above ground

Prune in late winter (March), prune old branches (only few cm on young shrub, then up to 1/3 total size)

Prune in early spring, leave a few dozen cm from soil level (avoid light competition)

Prune in early spring, trim to the desired shape + cut branches with diameter > 3.5 cm

Prune in winter. First year reduce 1/2 size, 2nd year only promote a few fruiting branches, then trim new

Prune in early spring, trim up to 1/2 of branches size, above nodes. Cut dead flowers during blossoming

Hard pruning in late winter/early spring if size reduction needed, light pruning right when flowering is complete

Prune in winter/spring for vigorous growth OR spring/summer for less growth. Select a few main branches

---

## Link

---

[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/leucanthemum\\_vulgare\\_gewone\\_margriet/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/leucanthemum_vulgare_gewone_margriet/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/papaver\\_rhoeas\\_grote\\_klaproos/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/papaver_rhoeas_grote_klaproos/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/silene\\_dioica\\_-\\_dagkoekoeksbloem/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/silene_dioica_-_dagkoekoeksbloem/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/centaurea\\_cyanus\\_korenbloem/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/centaurea_cyanus_korenbloem/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/knautia\\_arvensis\\_beemdkroon/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/knautia_arvensis_beemdkroon/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/trifolium\\_pratense\\_rode\\_klaver/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/trifolium_pratense_rode_klaver/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/eryngium\\_planum\\_blauwe\\_distel\\_kruisdistel/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/eryngium_planum_blauwe_distel_kruisdistel/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/geranium\\_macrorrhizum\\_bevans\\_variety\\_ooi/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/geranium_macrorrhizum_bevans_variety_ooi/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/achillea\\_walther\\_funcke\\_duizendblad/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/achillea_walther_funcke_duizendblad/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/gaura\\_lindheimeri\\_whirling\\_butterflies\\_lindhe/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/gaura_lindheimeri_whirling_butterflies_lindhe/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/anaphalis\\_tripplinervis\\_siberisch\\_edelweiss\\_w/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/anaphalis_tripplinervis_siberisch_edelweiss_w/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/calamintha\\_nepeta\\_blue\\_cloud\\_bergsteentijn/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/calamintha_nepeta_blue_cloud_bergsteentijn/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/sedum\\_purple\\_emperor\\_hemelsleutel/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/sedum_purple_emperor_hemelsleutel/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/solidago\\_virgaurea\\_echte\\_guldenroede/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/solidago_virgaurea_echte_guldenroede/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/malva\\_sylvestris\\_groot\\_kaasjeskruid\\_paars/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/malva_sylvestris_groot_kaasjeskruid_paars/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/sanguisorba\\_officinalis\\_tanna\\_-\\_pimpernel/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/sanguisorba_officinalis_tanna_-_pimpernel/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/echinops\\_ritro\\_veitchs\\_blue\\_kogeldistel/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/echinops_ritro_veitchs_blue_kogeldistel/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/echinacea\\_pallida\\_egelzonnehoed\\_zonnehoed/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/echinacea_pallida_egelzonnehoed_zonnehoed/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/sporobolus\\_heterolepis\\_prairiedropzaad\\_prairie/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/sporobolus_heterolepis_prairiedropzaad_prairie/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/stachys\\_byzantina\\_ezelsoor\\_andoorn/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/stachys_byzantina_ezelsoor_andoorn/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/salvia\\_nemorosa\\_serenade\\_salie/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/salvia_nemorosa_serenade_salie/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/verbascum\\_nigrum\\_zwarte\\_toorts/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/verbascum_nigrum_zwarte_toorts/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/laurus\\_nobilis\\_echte\\_laurier/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/laurus_nobilis_echte_laurier/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/buddleja\\_miss\\_ruby\\_-\\_vlinderstruik/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/buddleja_miss_ruby_-_vlinderstruik/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/buddleja\\_davidii\\_empire\\_blue\\_vlinderstruik/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/buddleja_davidii_empire_blue_vlinderstruik/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/forsythia\\_%C3%97\\_intermedia\\_lynwood\\_bloem/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/forsythia_%C3%97_intermedia_lynwood_bloem/)  
[https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/forsythia\\_%C3%97\\_intermedia\\_spectabilis\\_bloem/](https://appeltern.nl/nl/tuinadvies/plantenencyclopedie/forsythia_%C3%97_intermedia_spectabilis_bloem/)

e)

ew branches and suckers

ig

complete

ches and trim the others up to the branch collar.

---

---

---

---

---

eiend hout chinees klokje/  
loeiend hout chinees klokje/

---